Development of visual and mechanical sorting tools for the enhancement of structural sawn timber



Structural sawn timber intended for construction must offer similar guarantees to those offered by other materials and products intended for the structural construction sector. For this purpose, it is necessary to develop classification tools that allow manufacturers and marketers to certify the strength and stiffness values of all the wood that is placed on the market (adjusted to the species and origin that corresponds).

It is, in addition to being a legal obligation, a tool for the valuation of wood that is enabling a competitive improvement of its industrial network.

Technological development of structural sawn timber not only enables it to be directly promoted in the construction sector as a construction element, but also to be incorporated into the manufacture of technological products with high added value, such as glued laminated timber, duos, trios, CLT, prefabricated panels... These are high value-added products that require high levels of competitiveness that cannot be achieved without their main raw material, structural sawn timber, increasing its competitiveness, optimising its manufacturing times and its declared mechanical properties

Visual classification tools have been developed for the main commercial wood species found in Spanish forest stands, such as Pinus sylvestris, Pinus insigne, Pinus nigra, Pinus pinaster, Abies alba, Pseudotsuga menziesii, Quercus rubra, Castanea sativa and Eucalyptus globulus. Tools that in many cases enable the possibility of classifying structural sawn timber into three structural qualities, which allows the different qualities of wood that the timber industry places on the construction market to be classified and valued.

Mechanical classification systems are currently being developed for the main species of the Pinus genus. This is one more step in the competitive improvement of this type of wood, as it improves the classification times and the classifying performance in the different mechanical qualities.

1

Both developments have enhanced the value of the wood of the different wood species characterized, and have promoted its use in construction.

DETAILS	
HERKUNFT DES HOLZES	MOBILISIERUNGSPOTENZIAL
Industrie	300,000 m3
ART DES HOLZES	
Stammholz	POTENZIAL FÜR NACHHALTIGKEIT - WERT
ART DES BETROFFENEN HOLZES	LEICHTE IMPLEMENTIERUNG
Pinus sylvestris, Pinus nigra, Pinus radiata, Pinus pinaster, Pseudotsuga	Very easy
menziessii, Larix sp, Quercus rubra, Abies alba	
AUSWIRKUNGEN AUF UMWELT UND BIODIVERSITÄT	LEICHTE IMPLEMENTIERUNG - BEWERTUNG
Positive, it mobilizes wood with a proper forest management	
EINKOMMENSEFFEKT	WICHTIGE VORAUSSETZUNGEN
Positive, more quality timber is mobilized	Experience on manufacturing and classification of structural timber
VERWERTUNGSPOTENZIAL	ART DER VERANSTALTUNG, AUF DER DIESE BPI VORGESTELLT WURDE
NABE	ARBEITSPLATZEFFEKT
	Positive through better competitiveness
WIRTSCHAFTLICHE AUSWIRKUNGEN	KOSTEN DER IMPLEMENTIERUNG (EURO - €)
Structural timber value increases in 10€/m3 approximately	

SPEZIFISCHES WISSEN ERFORDERLICH

Knowledge about Phisical-mechanical properties of wood. Harmonized rules

needed

MEHR DETAILS		
ANGESPROCHENE HERAUSFORDERUNG	DOMäNE	ART DER LÖSUNG
	Forstbasierte Industrien, Bio-/ Kreislaufwirtschaft	
	Holzbau-Industrie	
SCHLüSSELWÖRTER	DIGITALE LÖSUNG	INNOVATION
	Nein	Nein
HERKUNFTSLAND	UMFANG DER ANWENDUNG	ANFANGS- UND ENDJAHR
Spanien	National	2011 -
KONTAKTDATEN		
EIGENTÜMER ODER AUTOR	REPORTER	
EIGENTUMEN OPEN ACTOR	KEI OKTEK	
edgar.lafuente@cesefor.com		
REFERENCES AND RESOURCES		
HAUPT-WEBSITE	RESSOURCEN	
http://www.cesefor.com		
PROJEKT-WEBSITE		
PROJEKT-REFERENZ		

PROJEKT, IN DESSEN RAHMEN DIESES FACTSHEET ERSTELLT WURDE

Rosewood

BEITRAGSDATUM

30 Aug. 2019





Link to Rosewood 4.0

This project has received funding from the European Union's Horizon 2020 research and innovation programme under grant agreement No. 862681

A TOOL FROM ROSEWOOD 4.0, DESIGNED AND DEVELOPED BY



