Thermovoltaic Biomass Dryer



BASE has developed Cogen'Air, the first Thermovoltaic solar panel, capable of producing electricity and heat simultaneously. While a conventional solar panel converts only about 15 to 20% of the solar energy received into electricity, Cogen'Air produces 10% more electricity and 3 times more heat, for a total efficiency of more than 60%. This Thermovoltaic panel is therefore 4 times more efficient than a conventional solar panel. BASE designs and markets heat and electricity production solutions for agricultural drying activities and biomass drying activities. It also markets solutions for the energy efficiency of buildings: heating support, electricity and domestic hot water production. The main objectives are: - Provide innovative and cost-effective solar solutions to contribute to a sustainable society. - Guarantee a drying quality superior to that of open-air drying and allow the production of a fuel with constant characteristics specific to the needs of boilers. - Improve the value of wood by preserving the resource in particular. - Reduce stocks and the mass to be transported. - Achieve a higher PCI, reduce wood consumption, increase boiler life - Generate income from photovoltaic production. The dryers designed with Cogen'Air Thermovoltaic technology ensure a homogeneous and fast drying of the wood energy. The control system allows the dryer to operate optimally, based on numerous temperature and humidity sensors. These dryers make it possible to recycle wood waste and give it a second life. One of the BASE dryers is intended, for example, for the recovery and drying of crushed strains, dry chips that will then be marketed in supermarkets as firelighters. This product from the Cogen'Air drying process has a high PCI and is ideal for boilers. The electricity is resold and provides additional income to the operator.

NA

ORIGIN OF WOOD Deconstruction work TYPE OF WOOD Stemwood	MOBILIZATION POTENTIAL Technological innovation to increase the profitability of wood energy SUSTAINABILITY POTENTIAL - VALUE
KIND OF WOOD CONCERNED	EASE OF IMPLEMENTATION
Woody biomass, waste	Easy
IMPACT ON ENVIRONMENT & BIODIVERSITY No impact: solar panels are installed at the wood energy processing site	EASE OF IMPLEMENTATION - EVALUATION
INCOME EFFECT	KEY PREREQUISITES
Reduction of logistics costs	NA
EXPLOITATION POTENTIAL	TYPE OF EVENT WHERE THIS BPI HAS BEEN FEATURED
HUB	JOB EFFECT
	NA
ECONOMIC IMPACT	COSTS OF IMPLEMENTATION (EURO - €)
Additional income from photovoltaic energy production	
SPECIFIC KNOWLEDGE NEEDED	

CHALLENGE ADDRESSED KEYWORDS COUNTRY OF ORIGIN France	DOMAIN Harvesting, infrastructure, logistics DIGITAL SOLUTION No SCALE OF APPLICATION Regional/sub-national	TYPE OF SOLUTION INNOVATION Yes START AND END YEAR 2009 -
CONTACT DATA		
OWNER OR AUTHOR	REPORTER	
veronique.oulha@base-innovation.com		
REFERENCES AND RESOURCES		
MAIN WEBSITE http://www.base-innovation.com	RESOURCES	
PROJECT WEBSITE		

PROJECT REFERENCE

--

PROJECT UNDER WHICH THIS FACTSHEET HAS BEEN CREATED

Rosewood

POST DATE 27 Sep 2019







This project has received funding from the European Union's Horizon 2020 research and innovation programme under grant agreement No. 862681

A TOOL FROM ROSEWOOD 4.0, DESIGNED AND DEVELOPED BY



