

Cable road layout planner



Seilaplan

Seilaplan is a tool that supports the design of cable roads for timber harvesting. It works as a QGis-Plugin.

Starting point of the calculation are terrain data (digital elevation model or field measurement data in CSV format), machine and cable road properties.

The program calculates the skyline tensile forces, the skyline sag, support saddle forces. By knowing the rope forces, critical constructions can be avoided.

This increases the safety at work.

Seilaplan includes an optimization algorithm that proposes the height and location of the supports. The load path of the skyline together with the terrain profile are displayed graphically and a construction manual is generated. Coordinates and saddle height of the supports can be saved as CSV and KML data so that they are electronically available for further planning steps.

The planning of cable road layout goes much faster. The calculated routing takes advantage of the natural terrain shapes and helps to reduce overall harvesting costs in mountainous regions and steep terrain.

DETALLES

ORIGEN DE LA MADERA

Bosque

TIPO DE MADERA

Madera en rollo

POTENCIAL DE MOVILIZACIÓN

> 100'000 m³ for Switzerland

TIPO DE MADERA AFECTADA

stemwood and full trees

FACILIDAD DE APLICACIÓN

Very easy

IMPACTO EN EL MEDIO AMBIENTE Y LA BIODIVERSIDAD

The cost reduction will allow new, poorly accessible areas to be developed and additional timber to be harvested.

This has a positive effect on the protective function of the forest in the mountains and it promotes adaptation to climate change.

FACILIDAD DE IMPLEMENTACIÓN - EVALUACIÓN

Very Easy

EFFECTO SOBRE LOS INGRESOS

Improved profitability of logging in steep terrain

PREREQUISITOS CLAVE

Terrain data must be available or collected along the planned line.

POTENCIAL DE EXPLOTACIÓN

For forest owners and forest contractors

TIPO DE EVENTO EN EL QUE SE HA PRESENTADO ESTA IFS

--

HUB

Eje Centro-Este

EFFECTO SOBRE EL EMPLEO

Faster and saver skyline layout planing

IMPACTO ECONÓMICO

Reduced installation cost, improved profitability

COSTES DE IMPLEMENTACIÓN (EURO - €)

100

CONOCIMIENTOS ESPECÍFICOS NECESARIOS

Knowledge of QGis is necessary

MÁS DETALLES

RETO ABORDADO	DOMINIO	TIPO DE SOLUCIÓN
5. Mejorar el rendimiento económico y medioambiental de las cadenas de suministro forestal	Gestión forestal, silvicultura, servicios ecosistémicos, resiliencia	Herramientas de asesoramiento y servicios para propietarios forestales
PALABRAS CLAVE	SOLUCIÓN DIGITAL	INNOVACIÓN
cable road	Sí	Si
skyline		
QGis plugin		
mountain forest		
PAÍS DE ORIGEN	ESCALA DE APLICACIÓN	AÑO DE INICIO Y FIN
Suiza	Continental	2012 - 2021

DATOS DE CONTACTO

PROPIETARIO O AUTOR

Swiss Federal Institute for Forest Research WSL
Leo Bont
leo.bont@wsl.ch
<https://seilaplan.wsl.ch/en/index.html>

REPORTADOR

BFH Berne University of Applied Sciences
Thuer Peter
peter.thuer@bfh.ch

REFERENCES AND RESOURCES

SITIO WEB PRINCIPAL

<https://www.wsl.ch/en/index.html>

RECURSOS

--

SITIO WEB DEL PROYECTO

<https://seilaplan.wsl.ch/en/index.html>

REFERENCIA DEL PROYECTO

Bont, L. G., Moll, P. E., Ramstein, L., Frutig, F., Heinimann, H. R., & Schweier, J. (2022). SEILAPLAN, a QGIS plugin for cable road layout design. *Croat J For Eng.* Bont, L. G., Ramstein, L., Frutig, F., & Schweier, J. (2022). Tensile forces and deflections on skylines of cable yarders: comparison of measurements with close-to-catenary predictions. *International Journal of Forest Engineering*, 1-22.
https://www.dora.lib4ri.ch/wsl/islandora/object/wsl%3A30255/datastream/PDF/Bont-2022-Tensile_forces_and_defl

LOGO DE LA BUENA
PRÁCTICA



Swiss Federal Institute for Forest,
Snow and Landscape Research WSL

LOGOTIPO DE LA
ORGANIZACIÓN PRINCIPAL



Bern University
of Applied Sciences

PROYECTO BAJO EL QUE SE HA CREADO ESTA FICHA

Rosewood 4.0

FECHA DE MENSAJE

25 Oct 2022



This project has received funding from the European Union's Horizon
2020 research and innovation programme under grant agreement No.

862681



A TOOL FROM ROSEWOOD 4.0, DESIGNED AND DEVELOPED BY



□