Development of visual and mechanical sorting tools for the enhancement of structural sawn timber



Structural sawn timber intended for construction must offer similar guarantees to those offered by other materials and products intended for the structural construction sector. For this purpose, it is necessary to develop classification tools that allow manufacturers and marketers to certify the strength and stiffness values of all the wood that is placed on the market (adjusted to the species and origin that corresponds).

It is, in addition to being a legal obligation, a tool for the valuation of wood that is enabling a competitive improvement of its industrial network.

Technological development of structural sawn timber not only enables it to be directly promoted in the construction sector as a construction element, but also to be incorporated into the manufacture of technological products with high added value, such as glued laminated timber, duos, trios, CLT, prefabricated panels... These are high value-added products that require high levels of competitiveness that cannot be achieved without their main raw material, structural sawn timber, increasing its competitiveness, optimising its manufacturing times and its declared mechanical properties

Visual classification tools have been developed for the main commercial wood species found in Spanish forest stands, such as Pinus sylvestris, Pinus insigne, Pinus nigra, Pinus pinaster, Abies alba, Pseudotsuga menziesii, Quercus rubra, Castanea sativa and Eucalyptus globulus. Tools that in many cases enable the possibility of classifying structural sawn timber into three structural qualities, which allows the different qualities of wood that the timber industry places on the construction market to be classified and valued.

Mechanical classification systems are currently being developed for the main species of the Pinus genus. This is one more step in the competitive improvement of this type of wood, as it improves the classification times and the classifying performance in the different mechanical qualities.

1

Both developments have enhanced the value of the wood of the different wood species characterized, and have promoted its use in construction.

DéTAILS ORIGINE DU BOIS POTENTIEL DE MOBILISATION Industrie 300.000 m3 TYPE DE BOIS POTENTIEL DE DURABILITÉ - VALEUR Grume TYPE DE BOIS CONCERNÉ FACILITÉ D'IMPLÉMENTATION Pinus sylvestris, Pinus nigra, Pinus radiata, Pinus pinaster, Pseudotsuga Very easy menziessii, Larix sp, Quercus rubra, Abies alba FACILITÉ D'IMPLÉMENTATION - ÉVALUATION IMPACT SUR L'ENVIRONNEMENT ET LA BIODIVERSITÉ Positive, it mobilizes wood with a proper forest management PRéREQUIS CLéS **EFFET SUR LE REVENU** Positive, more quality timber is mobilized Experience on manufacturing and classification of structural timber POTENTIEL D'EXPLOITATION TYPE D'éVÉNEMENT Où CETTE ICPE A ÉTÉ PRÉSENTÉE HUB EFFET SUR L'EMPLOI Positive through better competitiveness IMPACT éCONOMIQUE COûTS D'IMPLéMENTATION (EURO - €) Structural timber value increases in 10€/m3 approximately

CONNAISSANCES SPÉCIFIQUES REQUISES

Knowledge about Phisical-mechanical properties of wood. Harmonized rules

needed

PLUS DE DÉTAILS		
DéFI CONCERNé	DOMAINE	TYPE DE SOLUTION
	Industries basées sur la forêt, bioéconomie,	
	économie circulaire	
	Industrie du bois de construction	
MOTS-CLéS	SOLUTION DIGITALE	INNOVATION
	Non	Non
PAYS D'ORIGINE	ECHELLE D'APPLICATION	DéBUT ET FIN D'ANNÉE
Espagne	Nationale	2011 -
INFORMATIONS DE CONTACT		
PROPRIÉTAIRE OU AUTEUR	RAPPORTEUR	
edgar.lafuente@cesefor.com		
REFERENCES AND RESOURCES		
SITE WEB PRINCIPAL	RESSOURCES	
http://www.cesefor.com		
SITE WEB DU PROJET		
RéFéRENCE DU PROJET		

PROJET SOUS LEQUEL CETTE FICHE D'INFORMATION A ÉTÉ CRÉÉE

Rosewood

DATE DE PUBLICATION

30 aoû 2019







This project has received funding from the European Union's Horizon 2020 research and innovation programme under grant agreement No. 862681

A TOOL FROM ROSEWOOD 4.0, DESIGNED AND DEVELOPED BY



