## Thermovoltaic Biomass Dryer



BASE has developed Cogen'Air, the first Thermovoltaic solar panel, capable of producing electricity and heat simultaneously. While a conventional solar panel converts only about 15 to 20% of the solar energy received into electricity, Cogen'Air produces 10% more electricity and 3 times more heat, for a total efficiency of more than 60%. This Thermovoltaic panel is therefore 4 times more efficient than a conventional solar panel. BASE designs and markets heat and electricity production solutions for agricultural drying activities and biomass drying activities. It also markets solutions for the energy efficiency of buildings: heating support, electricity and domestic hot water production. The main objectives are: - Provide innovative and cost-effective solar solutions to contribute to a sustainable society. - Guarantee a drying quality superior to that of open-air drying and allow the production of a fuel with constant characteristics specific to the needs of boilers. - Improve the value of wood by preserving the resource in particular. - Reduce stocks and the mass to be transported. - Achieve a higher PCI, reduce wood consumption, increase boiler life - Generate income from photovoltaic production. The dryers designed with Cogen'Air Thermovoltaic technology ensure a homogeneous and fast drying of the wood energy. The control system allows the dryer to operate optimally, based on numerous temperature and humidity sensors. These dryers make it possible to recycle wood waste and give it a second life. One of the BASE dryers is intended, for example, for the recovery and drying of crushed strains, dry chips that will then be marketed in supermarkets as firelighters. This product from the Cogen'Air drying process has a high PCI and is ideal for boilers. The electricity is resold and provides additional income to the operator.

1

**DéTAILS ORIGINE DU BOIS** POTENTIEL DE MOBILISATION Travail de démolition Technological innovation to increase the profitability of wood energy TYPE DE BOIS POTENTIEL DE DURABILITÉ - VALEUR Grume TYPE DE BOIS CONCERNÉ FACILITÉ D'IMPLÉMENTATION Woody biomass, waste Easy FACILITÉ D'IMPLÉMENTATION - ÉVALUATION IMPACT SUR L'ENVIRONNEMENT ET LA BIODIVERSITÉ No impact: solar panels are installed at the wood energy processing site PRéREQUIS CLéS **EFFET SUR LE REVENU** Reduction of logistics costs NA POTENTIEL D'EXPLOITATION TYPE D'éVéNEMENT Où CETTE ICPE A éTé PRÉSENTÉE HUB **EFFET SUR L'EMPLOI** NA IMPACT éCONOMIQUE COûTS D'IMPLéMENTATION (EURO - €) Additional income from photovoltaic energy production **CONNAISSANCES SPÉCIFIQUES REQUISES** 

NA

PLUS DE DÉTAILS				
DéFI CONCERNé	DOMAINE		TYPE DE SOLUTION	
	Récolte, infrastructure, log	istique		
MOTS-CLéS	SOLUTION DIGITALE		INNOVATION	
	Non		Oui	
PAYS D'ORIGINE	ECHELLE D'APPLICATION		DéBUT ET FIN D'ANNéE	
France	Régionale/subnationale		2009 -	
INFORMATIONS DE CONTACT				
PROPRIÉTAIRE OU AUTEUR	RAPPORTEUR			
veronique.oulha@base-innovation.com				
REFERENCES AND RESOURCES				
SITE WEB PRINCIPAL		RESSOURCES		
http://www.base-innovation.com				
SITE WEB DU PROJET				
RéFéRENCE DU PROJET				

## PROJET SOUS LEQUEL CETTE FICHE D'INFORMATION A ÉTÉ CRÉÉE

Rosewood

## DATE DE PUBLICATION

27 sep 2019







This project has received funding from the European Union's Horizon 2020 research and innovation programme under grant agreement No. 862681

## A TOOL FROM ROSEWOOD 4.0, DESIGNED AND DEVELOPED BY



