Development of visual and mechanical sorting tools for the enhancement of structural sawn timber



Structural sawn timber intended for construction must offer similar guarantees to those offered by other materials and products intended for the structural construction sector. For this purpose, it is necessary to develop classification tools that allow manufacturers and marketers to certify the strength and stiffness values of all the wood that is placed on the market (adjusted to the species and origin that corresponds).

It is, in addition to being a legal obligation, a tool for the valuation of wood that is enabling a competitive improvement of its industrial network.

Technological development of structural sawn timber not only enables it to be directly promoted in the construction sector as a construction element, but also to be incorporated into the manufacture of technological products with high added value, such as glued laminated timber, duos, trios, CLT, prefabricated panels... These are high value-added products that require high levels of competitiveness that cannot be achieved without their main raw material, structural sawn timber, increasing its competitiveness, optimising its manufacturing times and its declared mechanical properties

Visual classification tools have been developed for the main commercial wood species found in Spanish forest stands, such as Pinus sylvestris, Pinus insigne, Pinus nigra, Pinus pinaster, Abies alba, Pseudotsuga menziesii, Quercus rubra, Castanea sativa and Eucalyptus globulus. Tools that in many cases enable the possibility of classifying structural sawn timber into three structural qualities, which allows the different qualities of wood that the timber industry places on the construction market to be classified and valued.

Mechanical classification systems are currently being developed for the main species of the Pinus genus. This is one more step in the competitive improvement of this type of wood, as it improves the classification times and the classifying performance in the different mechanical qualities.

1

Both developments have enhanced the value of the wood of the different wood species characterized, and have promoted its use in construction.

DETALJI	
PODRIJETLO DRVA	POTENCIJAL ZA POVEĆANJE UPORABE DRVA
Industrija	300,000 m3
VRSTA DRVA	
Deblo	POTENCIJAL ODRŽIVOSTI - VRIJEDNOST
ODGOVARAJUĆA VRSTA DRVA	JEDNOSTAVNOST PROVEDBE
Pinus sylvestris, Pinus nigra, Pinus radiata, Pinus pinaster, Pseudotsuga	Very easy
menziessii, Larix sp, Quercus rubra, Abies alba	
UTJECAJ NA OKOLIŠ I BIORAZNOLIKOST	JEDNOSTAVNOST PROVEDBE - EVALUACIJA
Positive, it mobilizes wood with a proper forest management	_
UČINAK NA PRIHOD	KLJUČNI PREDUVJETI
Positive, more quality timber is mobilized	Experience on manufacturing and classification of structural timber
POTENCIJAL ISKORISTIVOSTI	VRSTA DOGAđAJA NA KOJEM JE PRIKAZAN OVAJ BPI
	
SREDIŠTE	UČINAK NA ZAPOŠLJIVOST
-	Positive through better competitiveness
GOSPODARSKI UČINAK	TROŠKOVI PROVEDBE (EURO - €)
Structural timber value increases in 10€/m3 approximately	

POTREBNA POSEBNA ZNANJA

Knowledge about Phisical-mechanical properties of wood. Harmonized rules

needed

VIŠE DETALJA		
IZAZOV	DOMENA	VRSTA RJEŠENJA
-	Industrije utemeljene na šumama, bio / kružna	
	ekonomija	
	Drvna građevinska industrija	
KLJUČNE RIJEČI	DIGITALNO RJEŠENJE	INOVACIJA
	Ne	Ne
ZEMLJA PODRIJETLA	PODRUČJE PRIMJENE	POČETAK I KRAJ GODINE
Španjolska	Nacionalna	2011 -
V2.V=.V=		
KONTAKT PODATCI		
· · · · · · · · · · · · · · · · · · ·		
VLASNIK ILI AUTOR	IZVJESTITELJ	
edgar.lafuente@cesefor.com		
DEFERENCES		
REFERENCES		
GLAVNA WEB STRANICA	IZVORI	
http://www.cesefor.com		
WEB STRANICA PROJEKTA		
REFERENCA PROJEKTA		
_		

PROJEKT U OKVIRU KOJEG JE INFORMATIVNI LIST KREIRAN

Rosewood

DATUM UNOSA

30 kol 2019







This project has received funding from the European Union's Horizon 2020 research and innovation programme under grant agreement No. 862681

A TOOL FROM ROSEWOOD 4.0, DESIGNED AND DEVELOPED BY



