Development of visual and mechanical sorting tools for the enhancement of structural sawn timber



Structural sawn timber intended for construction must offer similar guarantees to those offered by other materials and products intended for the structural construction sector. For this purpose, it is necessary to develop classification tools that allow manufacturers and marketers to certify the strength and stiffness values of all the wood that is placed on the market (adjusted to the species and origin that corresponds).

It is, in addition to being a legal obligation, a tool for the valuation of wood that is enabling a competitive improvement of its industrial network.

Technological development of structural sawn timber not only enables it to be directly promoted in the construction sector as a construction element, but also to be incorporated into the manufacture of technological products with high added value, such as glued laminated timber, duos, trios, CLT, prefabricated panels... These are high value-added products that require high levels of competitiveness that cannot be achieved without their main raw material, structural sawn timber, increasing its competitiveness, optimising its manufacturing times and its declared mechanical properties

Visual classification tools have been developed for the main commercial wood species found in Spanish forest stands, such as Pinus sylvestris, Pinus insigne, Pinus nigra, Pinus pinaster, Abies alba, Pseudotsuga menziesii, Quercus rubra, Castanea sativa and Eucalyptus globulus. Tools that in many cases enable the possibility of classifying structural sawn timber into three structural qualities, which allows the different qualities of wood that the timber industry places on the construction market to be classified and valued.

Mechanical classification systems are currently being developed for the main species of the Pinus genus. This is one more step in the competitive improvement of this type of wood, as it improves the classification times and the classifying performance in the different mechanical qualities.

1

Both developments have enhanced the value of the wood of the different wood species characterized, and have promoted its use in construction.

DETALJER	
OPPRINNELSE FOR TRE	MOBILISERINGSPOTENSIAL
Industri	300,000 m3
TYPE TRE	
Tre fra rundtvirke	Bærekraftpotensial - Verdi
TYPE TRE INVOLVERT	ENKEL IMPLEMENTERING
Pinus sylvestris, Pinus nigra, Pinus radiata, Pinus pinaster, Pseudotsuga	Very easy
menziessii, Larix sp, Quercus rubra, Abies alba	
PåVIRKNING På MILJØ OG BIOLOGISK MANGFOLD	ENKEL IMPLEMENTERING - EVALUERING
Positive, it mobilizes wood with a proper forest management	
INNTEKTSEFFEKT	VIKTIGE FORUTSETNINGER
Positive, more quality timber is mobilized	Experience on manufacturing and classification of structural timber
UTNYTTELSESPOTENSIAL	TYPE BEGIVENHET DER DENNE BPI HAR BLITT OMTALT
	
HUB	EFFEKT På ARBEIDSPLASSER
	Positive through better competitiveness
ØKONOMISK PåVIRKNING	KOSTNADER MED IMPLEMENTERING (EURO - €)
Structural timber value increases in 10€/m3 approximately	

SPESIFIKKE KUNNSKAPSBEHOV

Knowledge about Phisical-mechanical properties of wood. Harmonized rules

needed

MER INFORMASJON				
UTFORDRING ADRESSERT	DOMENE		TYPE LØSNING	
	Skogindustri, bio/sirkulær	økonomi		
	Industri for bygg i tre			
NøKKELORD	DIGITAL LØSNING		INNOVASJON	
	Nei		Nei	
OPPRINELSESLAND	POTENSIALE		START OG SLUTT åR	
Spania	Nasjonal		2011 -	
KONTAKT				
INFORMASJON				
EIER ELLER FORFATTER		RAPPORTØR		
edgar.lafuente@cesefor.com				
REFERENCES				
AND RESOURCES				
HJEMMESIDE (HOVEDSIDE)		RESSURSER		
http://www.cesefor.com				
PROSJEKTETS HJEMMESIDE				
REFERANSE TIL PROSJEKT				

PROSJEKT SOM DETTE FAKTAARKET ER OPPRETTET UNDER

Rosewood

INNLEGGSDATO

30 aug 2019







This project has received funding from the European Union's Horizon 2020 research and innovation programme under grant agreement No. 862681

A TOOL FROM ROSEWOOD 4.0, DESIGNED AND DEVELOPED BY



