## Thermovoltaic Biomass Dryer



BASE has developed Cogen'Air, the first Thermovoltaic solar panel, capable of producing electricity and heat simultaneously. While a conventional solar panel converts only about 15 to 20% of the solar energy received into electricity, Cogen'Air produces 10% more electricity and 3 times more heat, for a total efficiency of more than 60%. This Thermovoltaic panel is therefore 4 times more efficient than a conventional solar panel. BASE designs and markets heat and electricity production solutions for agricultural drying activities and biomass drying activities. It also markets solutions for the energy efficiency of buildings: heating support, electricity and domestic hot water production. The main objectives are: - Provide innovative and cost-effective solar solutions to contribute to a sustainable society. - Guarantee a drying quality superior to that of open-air drying and allow the production of a fuel with constant characteristics specific to the needs of boilers. - Improve the value of wood by preserving the resource in particular. - Reduce stocks and the mass to be transported. - Achieve a higher PCI, reduce wood consumption, increase boiler life - Generate income from photovoltaic production. The dryers designed with Cogen'Air Thermovoltaic technology ensure a homogeneous and fast drying of the wood energy. The control system allows the dryer to operate optimally, based on numerous temperature and humidity sensors. These dryers make it possible to recycle wood waste and give it a second life. One of the BASE dryers is intended, for example, for the recovery and drying of crushed strains, dry chips that will then be marketed in supermarkets as firelighters. This product from the Cogen'Air drying process has a high PCI and is ideal for boilers. The electricity is resold and provides additional income to the operator.

1

DETALJER	
OPPRINNELSE FOR TRE	MOBILISERINGSPOTENSIAL
Rivning	Technological innovation to increase the profitability of wood energy
TYPE TRE	
Tre fra rundtvirke	Bærekraftpotensial - Verdi
TYPE TRE INVOLVERT	ENKEL IMPLEMENTERING
Woody biomass, waste	Easy
PåVIRKNING På MILJø OG BIOLOGISK MANGFOLD	ENKEL IMPLEMENTERING - EVALUERING
No impact: solar panels are installed at the wood energy processing site	
INNTEKTSEFFEKT	VIKTIGE FORUTSETNINGER
Reduction of logistics costs	NA
UTNYTTELSESPOTENSIAL	TYPE BEGIVENHET DER DENNE BPI HAR BLITT OMTALT
HUB	EFFEKT På ARBEIDSPLASSER
	NA
ØKONOMISK PåVIRKNING	KOSTNADER MED IMPLEMENTERING (EURO - €)
Additional income from photovoltaic energy production	
SPESIFIKKE KLINNSKAPSREHOV	

NA

MER INFORMASJON		
UTFORDRING ADRESSERT	DOMENE	TYPE LØSNING
	Avvirkning, infrastruktur, logist	ikk
NøKKELORD	DIGITAL LØSNING	INNOVASJON
	Nei	Ja
OPPRINELSESLAND	POTENSIALE	START OG SLUTT åR
Frankrike	Regional/deler av landet	2009 -
KONTAKT INFORMASJON		
EIER ELLER FORFATTER	RAF	PPORTØR
veronique.oulha@base-innovation.com		
REFERENCES		
HJEMMESIDE (HOVEDSIDE)	RES	SURSER
http://www.base-innovation.com		
PROSJEKTETS HJEMMESIDE		
REFERANSE TIL PROSJEKT		

## PROSJEKT SOM DETTE FAKTAARKET ER OPPRETTET UNDER

Rosewood

## **INNLEGGSDATO**

27 sep 2019







This project has received funding from the European Union's Horizon 2020 research and innovation programme under grant agreement No. 862681

## A TOOL FROM ROSEWOOD 4.0, DESIGNED AND DEVELOPED BY



