## Caisse Phyto Forêt (Forest protection and provident fund) / Traitment against fomes



The Caisse Phyto Forêt, a South-West France forest protection and provident fund, was created at the initiative of the South-West France Forestry Syndicate in 2013 to provide concrete phytosanitary solutions for the Landes de Gascogne massif. The purpose of this association (law 1901) is to act in matters of uninsurable phytosanitary risks. The Caisse Phyto Forêt is working on the development of a method to prevent the contamination of stumps and healthy trees by the fomes, a root fungus that causes significant damage to conifers by reducing the quality of the wood and causing mortality in stands.

Currently, the dosage of the blue dye recommended by the manufacturer does not allow, in certain cases, to sufficiently color the product and to verify the correct application of the product. It would be necessary to multiply by 3 or 4 the dose of dye necessary, meaning an additional cost for the operator and thus the forest owner.

Operators and contractors must undergo training to obtain a plant protection product certificate (CERTI-PHYTO).

It is now necessary to communicate more widely with the foresters of the massif in order to encourage them to treat the strains and stem the spread of contaminations.

In order to avoid contamination of the stands, the treatment against fomes is applied to each cut of wood (depressing, thinning, and clearcutting). The product to be used is a powder to be diluted in water containing spores and mycelia of a fungus endemic to the massif, the Phlebiopsis gigantea natural strain VRA-1835, with an antagonistic action to the development of the resinous fomes. The only one approved in France is the Rotstop, manufactured and sold by AROLE. As the mixture is colourless, a blue dye should be added to check the correct spray on the stumps.

1

Application must be made within 3 hours after cutting, either by manual painting or mechanical spraying by adapting systems at the harvester head: using a guide spraying the product through holes distributed along the guide, or with a nozzle that sprays the product in a single outlet. The solution is then spread over the stumps when the trees are cut.

Loggers need to equip their machines with one of two systems to automate processing.

Treatment can take place throughout the year and to be effective, 80% of stumps must be treated.

Подробиці Походження деревини Потенціал для мобілізації Ліс NA Тип деревини Стовбурна деревина Потенціал для сталості - Цінність Тип деревини Легкість впровадження Medium: need to adapt harvesting machines with new product dispersion Stemwood systems Вплив на навколишне середовище та біорізноманіття Легкість впровадження - Оцінка Protection of healthy trees contamination by fomes with registered products Вплив на створення прибутку Ключові передумови NA NA Потенціал для використання Тип події, на якій було представлено цей ВРІ Концентратор Вплив на створення робочих місць NA Економічний вплив Витрати на впровадження (Євро - €) Implies an additional cost for forest owners

Потреба в особливих знаннях

3

For users: training in the use of plant protection products

Детальніше			
Виклик вирішено	Домен	Тип рішення	
	Лісове господарство, лісівництво,		
	екосистемні послуги, стійкість		
	Природні лісові катастрофи, ризики,		
	реагування на назвичайні ситуації		
Ключові слова	Цифрові рішення	Інновація	
	ні	Hi	
Країна походження	Масштаби застосування	Початок і кінець року	
Франція	Регіональний / суб-національний	2013 -	
Контактні пані			
Коптактії дапі			
Власник або автор	Репортер		
contact@maisondelaforet.fr			
REFERENCES AND RESOURCES			
AND RESOURCES			
Основний веб-сайт	Ресурси		
http://www.maisondelaforet-sudouest.co			
Веб-сайт проекту			
Посилання на проект			

## Краща практика розроблена в рамках проекту Rosewood

Дата публікації 18 вер 2019







This project has received funding from the European Union's Horizon 2020 research and innovation programme under grant agreement No.  $862681 \,$ 

## A TOOL FROM ROSEWOOD 4.0, DESIGNED AND DEVELOPED BY



